

WATER WELL REPORT STATE OF WASHINGTON

Start Card No. 076372
Water Right Permit No.

(1) OWNER: Name MEGORDON, HERB Address 5621 CAMERON FREELAND, WA 98249-
(2) LOCATION OF WELL: County ISLAND - SE 1/4 NW 1/4 Sec 21 T 30 N. R 2E WM
(2a) STREET ADDRESS OF WELL (or nearest address) HWY. 525

(3) PROPOSED USE: MUNICIPAL

(10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well 3
(If more than one)
NEW WELL Method: ROTARY

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 141 ft. Depth of completed well 138 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6 " Dia. from +2 ft. to 133 ft.
WEDED " Dia. from ft. to ft.
" Dia. from ft. to ft.

MATERIAL	FROM	TO
BROWN GRAVEL & SAND & CLAY	0	2
GRAY GRAVEL & SAND & CLAY	2	74
BROWN CLAY & SAND & GRAVEL	74	85
BROWN CLAY & SAND	85	97
BROWN SAND & SILT - SEEPAGE	97	100
BROWN CLAY & SAND	100	110
BROWN LAYERED CLAY	110	111
& SAND - SEEPAGE	110	111
BROWN SAND & SILT & CLAY	111	123
GRAY SAND & WATER	123	139
GRAY CLAY	139	

Perforations: NO

Type of perforator used
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: YES

Manufacturer's Name JOHNSON
Type STAINLESS STEEL Model No. KO
Diam. 3 slot size 15 from 133 ft. to 138 ft.
Diam. slot size from ft. to ft.

Gravel packed: YES Size of gravel 10-20
Gravel placed from 128 ft. to 138 ft.

Surface seal: YES To what depth? 18 ft.
Material used in seal BENTONITE
Did any strata contain unusable water? NO
Type of water? Depth of strata ft.
Method of sealing strata off

(7) PUMP: Manufacturer's Name
Type H.P.

(8) WATER LEVELS: Land-surface elevation
Static level 98.5 ft. above mean sea level ... ft.
Artesian Pressure lbs. per square inch Date 09/10/91
Artesian water controlled by

Work started 09/09/91 Completed 09/10/91

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.
Was a pump test made? NO If yes, by whom?
Yield: gal./min with ft. drawdown after hrs.

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Recovery data
Time Water Level Time Water Level Time Water Level

NAME HAYES DRILLING, INC.
(Person, firm, or corporation) (Type or print)

ADDRESS 556 ERSWIG RD. BOW, WA

[SIGNED] Steve Hayes License No. 762

Contractor's
Registration No. HAYESDI106J5 Date 09/13/91

Date of test / /
Bailer test 20 gal./min. 17 ft. drawdown after 1 hrs.
Air test gal./min. w/ stem set at ft. for hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? NO

WELL SITE MEETS ALL SIGHTING CRITERIA UNDER I.C.C. 8.09 BASED ON
INFORMATION SUPPLIED BY THE OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE.



Well Tagging Form

Unique Well Tag No: APH 280

RECORD VERIFICATION (check ☒ one)



Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you).

If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. **Do not use this form for wells that do not have a Water Well Report.**

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name: Clover Ridge Water System Last Name: System
 Street Address: PO Box 121
 City: Greenbank State: WA 98253

LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address: Parcel R23021-338-0700; Highway 525 and Clover Ridge Drive
 City: Greenbank County: Island
 T. 30 N. R. 2 E W.M. Sec. 21 SW $\frac{1}{4}$ of the NW
 Latitude 48 4.489419
 Longitude 122 36.20148
 Elevation at land surface 392 feet/meters (circle one)

SEE BACK SIDE OF PAGE...

RECEIVED
 MAY 09 2008
 DEPT. OF ECOLOGY

WELL CHARACTERISTICS

Location of Well identification Tag:

Strapped to the well casing (inside well house)

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Scale 1:24,000 (1" = 2,000')

Indicate the location of the well within the Section by drawing a dot at that point

SECTION

21

COMMENTS:

Well is located in the center of the section, near the intersection of the section lines.